

## DONNEES TECHNIQUES

Courant de charge [A]	90
Type de réseau de bord	pour véhicules 12V
Type de poulie	V
Pince	M8 B+
Connectique	PLUG381

## PHOTOS




### BULLETIN TECHNIQUE TB-02

Lors du montage de cet alternateur contrôlez bien qu'il n'y ait pas de fuites d'huile moteur ou fuites de gasoil (pompe d'injection).

Celles-ci provoqueraient des dégâts importants à l'alternateur. De par sa position prévue originellement sur le moteur, cet alternateur est très exposé à la saleté, l'eau, la poussière mais surtout à l'huile de moteur et au gasoil.

During mounting this alternator, please take care the vehicle doesn't show a leak of oil at the motor !!! This leak of oil causes severe damage to the alternator.

This alternator is very liable to dust, dirt, moisture and especially penetrating motor oil and/or diesel fuel.



Bornes	
B+	Positive
D+	Trio (Lamp)


## DOCUMENTS

BT-130 Refus des carcasses alternateurs/démarrateurs

**APPLICATIONS**

<b>AUDI</b>		
80 (1991-96) (8C, B4) - 2.3 E	133 ch	09.1991 > 12.1994
90 (1984-87) (81, 85, B2) - 2.0	115 ch	10.1984 > 03.1987
90 (1987-91) (89, 89Q, 8A, B3) - 2.0	115 ch	07.1988 > 09.1991
90 (1987-91) (89, 89Q, 8A, B3) - 2.0 20 V	160 ch	08.1989 > 07.1991
90 (1987-91) (89, 89Q, 8A, B3) - 2.0 20 V quattro	160 ch	08.1988 > 09.1991
90 (1987-91) (89, 89Q, 8A, B3) - 2.2 E	136 ch	04.1987 > 07.1991
90 (1987-91) (89, 89Q, 8A, B3) - 2.2 E quattro	136 ch	04.1987 > 09.1991
90 (1987-91) (89, 89Q, 8A, B3) - 2.3 E 20V	167 ch	04.1990 > 07.1991
	170 ch	08.1988 > 07.1991
90 (1987-91) (89, 89Q, 8A, B3) - 2.3 E 20V quattro	167 ch	04.1990 > 09.1991
	170 ch	06.1988 > 09.1991
90 (1987-91) (89, 89Q, 8A, B3) - 2.3 E quattro	133 ch	04.1987 > 09.1991
	136 ch	04.1987 > 07.1991
100 (1982-91) (44, 44Q, C3) - 2.2 E Turbo quattro	165 ch	08.1986 > 11.1990
100 (1982-91) (44, 44Q, C3) - 2.2 Turbo	165 ch	08.1986 > 11.1990
100 (1982-91) (44, 44Q, C3) - 2.3 quattro	134 ch	01.1990 > 11.1990
100 (1982-91) (44, 44Q, C3) - 2.3 E	133 ch	01.1990 > 11.1990
	136 ch	10.1986 > 11.1990
100 (1982-91) (44, 44Q, C3) - 2.3 E quattro	136 ch	08.1986 > 11.1990
100 (1982-91) (44, 44Q, C3) - 2.5 TDI	120 ch	01.1990 > 11.1990
100 (1982-91) Avant (44, 44Q, C3) - 2.2 Turbo	165 ch	08.1986 > 11.1990
100 (1982-91) Avant (44, 44Q, C3) - 2.3	133 ch	03.1990 > 11.1990
	136 ch	08.1986 > 11.1990
100 (1982-91) Avant (44, 44Q, C3) - 2.3 quattro	134 ch	01.1990 > 11.1990
100 (1982-91) Avant (44, 44Q, C3) - 2.5 TDI	120 ch	01.1990 > 11.1990
200 (1983-91) (44, 44Q) - 2.2 Turbo	165 ch	08.1985 > 09.1991
200 (1983-91) (44, 44Q) - 2.2 Turbo quattro	165 ch	01.1985 > 12.1991
200 (1983-91) Avant (44, 44Q) - 2.2 20V Turbo quattro	220 ch	07.1989 > 12.1990
200 (1983-91) Avant (44, 44Q) - 2.2 Turbo	165 ch	08.1985 > 09.1991
200 (1983-91) Avant (44, 44Q) - 2.2 Turbo quattro	165 ch	09.1983 > 12.1990
CABRIOLET (8G7, B4) - 2.3 E	133 ch	05.1991 > 07.1994
COUPE (1986-91) (89, 8B, B3) - 2.0 20 V	160 ch	08.1989 > 07.1991
COUPE (1986-91) (89, 8B, B3) - 2.0 20 V quattro	160 ch	08.1989 > 07.1991
COUPE (1986-91) (89, 8B, B3) - 2.2 quattro	136 ch	11.1988 > 07.1991
COUPE (1986-91) (89, 8B, B3) - 2.3	133 ch	03.1990 > 12.1996
	136 ch	10.1988 > 07.1994
COUPE (1986-91) (89, 8B, B3) - 2.3 quattro	134 ch	05.1990 > 12.1996
	136 ch	11.1988 > 12.1992
COUPE (1986-91) (89, 8B, B3) - 2.3 20V	167 ch	08.1990 > 07.1991
	170 ch	08.1989 > 07.1991
COUPE (1986-91) (89, 8B, B3) - 2.3 20V quattro	167 ch	05.1990 > 12.1996
	170 ch	11.1988 > 07.1991
QUATTRO (85) - 2.2 20V	220 ch	08.1989 > 07.1991
QUATTRO (85) - 2.2 Turbo	200 ch	08.1987 > 07.1989

<b>SEAT</b>		
TOLEDO (91-99) (1L) - 1.8 16V	125 ch	05.1991 > 03.1999
	133 ch	05.1991 > 03.1999
<b>VOLKSWAGEN</b>		
CORRADO (53I) - 1.8 16V	136 ch	04.1989 > 07.1992
CORRADO (53I) - 2.0 i 16V	136 ch	08.1991 > 12.1995
GOLF (83-92) (19E, 1G1) - 1.8	84 ch	08.1986 > 01.1990
	90 ch	08.1984 > 10.1991
GOLF (83-92) (19E, 1G1) - 1.8 i KAT	90 ch	08.1987 > 10.1991
JETTA (84-92) (A2, 1G2) - 1.8 16V	129 ch	08.1986 > 10.1991
PASSAT (88-96) (3A2, 35I) - 1.8 16V	136 ch	04.1988 > 12.1989
PASSAT (88-96) (3A2, 35I) - 2.0 16V	136 ch	08.1988 > 09.1993
PASSAT (88-97) Variant (3A5, 35I) - 1.8 16V	136 ch	04.1988 > 12.1989
PASSAT (88-97) Variant (3A5, 35I) - 2.0 16V	136 ch	08.1988 > 09.1993
SCIROCCO (82-92) (53B) - 1.8 16V	139 ch	10.1985 > 07.1989

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.