


## DONNEES TECHNIQUES

Type de réseau de bord	<b>pour véhicules 12V</b>
Puissance nominale [kW]	<b>1.8</b>
Nombre de dents	<b>10T</b>
Direction de rotation	<b>rotation CW</b>
Réducteur	<b>Avec réducteur (G/R) intégré</b>
Nombre de taraudages	<b>3</b>
Nombre de trous de fixation	<b>3</b>
Connectique	<b>SOL66</b>


## PHOTOS



### BULLETIN TECHNIQUE TB-05

Ce démarreur n'utilise pas de bobinage en cuivre ou en aluminium, mais utilise des aimants ferreux permanents. Si vous traitez ce démarreur brutalement (chute ou coup de marteau sur le démarreur ou le solénoïde), les aimants se fissureront ou casseront. Ceci entraînant la destruction du démarreur.

This starter doesn't use field coils made from copper or aluminium, but uses ferrite permanent magnets. If you treat this starter roughly (e.g. drop or hit on the starter motor or solenoid with a hammer) the magnets will crack or break. Causing the starter to fail.



## DOCUMENTS

**BT-130 Refus des carcasses alternateurs/démarrateurs**

## APPLICATIONS


<b>FORD</b>		
COURIER Camionnette (F3L, F5L) - 1.8 D	60 ch	09.1991 > 02.1996
COURIER Camionnette (J5_, J3_) - 1.8 D	60 ch	02.1996 >
ESCORT 81 Courrier (AVA) - 1.6 D	54 ch	02.1984 > 02.1986
ESCORT 86 Courrier (AVF) - 1.6 D	54 ch	02.1986 > 07.1990
ESCORT 86 Courrier (AVF) - 1.8 D	60 ch	07.1988 > 07.1990
ESCORT CLASSIC (AAL, ABL) - 1.8 TD	90 ch	10.1998 > 07.2000
ESCORT CLASSIC Turnier (ANL) - 1.8 TD	90 ch	02.1999 > 07.2000
ESCORT (80-86) (GAA) - 1.6 D	54 ch	02.1984 > 12.1985
ESCORT (80-86) Break (AWA) - 1.6 D	54 ch	02.1984 > 12.1985
ESCORT (86-90) (GAF, AWF, ABFT) - 1.6 D	54 ch	01.1986 > 01.1989
ESCORT (86-90) (GAF, AWF, ABFT) - 1.8 D	60 ch	01.1989 > 07.1990
ESCORT (86-90) Break (AWF, AVF) - 1.6 D	54 ch	01.1986 > 01.1989
ESCORT (86-90) Break (AWF, AVF) - 1.8 D	60 ch	01.1989 > 07.1990
ESCORT (90-92) Break (GAL, AVL) - 1.8 TD	75 ch	05.1991 > 12.1992
ESCORT (92-95) (GAL) - 1.8 TD	90 ch	02.1993 > 01.1995
ESCORT (92-95) 3 volumes (GAL) - 1.8 TD	90 ch	08.1993 > 01.1995
ESCORT (92-95) Break (GAL) - 1.8 TD	90 ch	02.1993 > 01.1995
ESCORT (95-00) (GAL, AAL, ABL) - 1.8 D	60 ch	01.1995 > 12.1996
ESCORT (95-00) (GAL, AAL, ABL) - 1.8 TD	90 ch	01.1995 > 10.1998
ESCORT (95-00) (GAL, AAL, ABL) - 1.8 Turbo D	70 ch	12.1995 > 10.1998
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.8 D	60 ch	01.1995 > 12.1996
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.8 TD	90 ch	01.1995 > 10.1998
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.8 Turbo D	70 ch	12.1995 > 02.1999
ESCORT (95-00) Cabriolet (ALL) - 1.8 TD	90 ch	09.1995 > 08.1998
ESCORT (95-00) Cabriolet (ALL) - 1.8 Turbo D	70 ch	10.1996 > 08.1999
ESCORT (95-00) Clipper (GAL, ANL) - 1.8 D	60 ch	01.1995 > 02.1999
ESCORT (95-00) Clipper (GAL, ANL) - 1.8 TD	90 ch	01.1995 > 02.1999
FIESTA (83-89) (FBD) - 1.6 D (FBD)	54 ch	04.1984 > 02.1989
FIESTA (83-95) Camionnette (FVD) - 1.6 D	54 ch	09.1983 > 09.1989
FIESTA (83-95) Camionnette (FVD) - 1.8 D (FVJ)	60 ch	03.1989 > 12.1995
FIESTA (89-97) (GFJ) - 1.8 D	60 ch	03.1989 > 12.1995
FIESTA (95-02) (JA_, JB_) - 1.8 D	60 ch	08.1995 > 04.2000
FIESTA (95-02) (JA_, JB_) - 1.8 DI	75 ch	04.2000 > 01.2002
MONDEO (93-96) (GBP) - 1.8 TD	88 ch	06.1993 > 08.1996
	90 ch	10.1995 > 08.1996
MONDEO (93-96) 3 volumes (GBP) - 1.8 TD	88 ch	06.1993 > 08.1996
	90 ch	10.1995 > 08.1996
MONDEO (93-96) Clipper (BNP) - 1.8 TD	88 ch	06.1993 > 08.1996
	90 ch	11.1995 > 08.1996
MONDEO (96-00) (BAP) - 1.8 TD	90 ch	09.1996 > 11.2000
MONDEO (96-00) 3 volumes (BFP) - 1.8 TD	90 ch	09.1996 > 11.2000
MONDEO (96-00) Clipper (BNP) - 1.8 TD	90 ch	09.1996 > 11.2000
ORION (83-86) (AFD) - 1.6 D	54 ch	02.1984 > 03.1986
ORION (86-90) (AFF) - 1.6 D	54 ch	12.1985 > 01.1989
ORION (86-90) (AFF) - 1.8 D	60 ch	01.1989 > 07.1990
ORION (90-93) (GAL) - 1.8 D	60 ch	11.1990 > 12.1993

**MAZDA**

121 (96-02) (JASM, JBSM) - 1.8 D

60 ch

03.1996 >

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.