RDW



NEDERLAND (THE NETHERLANDS)



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning:

- type-approval
- extension of type-approval
- refusal of type-approval
- withdrawal of type-approval

of a type of a component (towbar) with regard to Directive (94/20/EEC)

Type-approval number: e4*94/20*2436*00

Reason for extension:

SECTION I

0.1.	Make (trade name of manufacturer) :	Bosal
0.2.	Type and general commercial description(s) :	032171
0.3.	Means of identification of type marked on the component	Type approval number
0.3.1.	Location of that marking :	On type plate
0.5.	Name and address of manufacturer :	Bosal Le Rapide Rue de Reims F-51490 Beine Nauroy France
0.7.	In the case of components and separate technical: units, location and method of affixing of the EEC type approval mark	On type plate
0.8.	Address(es) of assembly plant(s) :	See information document

(annex III, item 0.8)

Type-approval number: e4*94/20*2436*00

SECTION II

1. Additional information (where applicable) : See Appendix I

2. Technical service responsible for carrying out

the tests

RDW

Testbaan|Centrum

Talingweg 76

8218 NX Lelystad

3. Date of test report

Number of test report

: 15-09-2004

: RDW-94/20-3521

5. Remarks (if any)

: See Appendix I

6. Place

4.

Zoetermeer

7. Date

: 15-09-2004

8. Signature

J.P.M. Laumen

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request.
 - Application form relating to annex III and annexed drawings
 - Drawings and instructions for attachment
 - Fitting instructions
 - Test report as mentioned in item 4.

Appendix I

to EEC type-approval certificate No: e4*94/20*2436*00 concerning the components type-approval of mechanical coupling devices with regard to Directive 94/20/EEC

1	Additional information
1.	Additional information

1.1. Class of the type of coupling : A50-X

1.2. Categories or types of vehicles for which : Peugeot / Citroën

the device is designed or restricted 307 (T50/51) / C4 (B50/51) 3 & 5 doors

1.3. Maximum D-value : 8.06 kN

1.4. Maximum vertical load S at the coupling point : 65 kg

1.5 Maximum load U at the fifth wheel : ---- ton

coupling point

1.6. Maximum V-value : ---- kN

1.7. Instructions for attachment of the coupling : See fitting instructions

type to the vehicle and photographs or drawings of the fitting points at the vehicle give by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles

Information on the fitting of special towing : See fitting instructions brackets or mounting plates

5. Remarks: The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10.

1.8